

QUOTATION

| Qty | Core Components | RRP | Ext. |
|-----|--|---------|---------|
| 1 | 9 LPM HOH Cell - 120V @ 15AMP | \$3,518 | \$3,518 |
| 1 | Header Tank - Stainless Steel - Fully Welded | \$740 | \$740 |
| 2 | Combined Gas Dryer and Safety Arrestor | \$290 | \$580 |
| 3 | Cell Mounting Bracket | \$35 | \$105 |
| 2 | Cell Clamp | \$30 | \$60 |
| 2 | 90-130mm Hose Clamps (Header Tank) | \$10 | \$20 |
| 4 | JG 3/8" HH Check Valve | \$15 | \$60 |
| 7 | JG 1/4" M - 3/8"H Elbow | \$12 | \$84 |
| 3 | JG 1/4" M - 3/8"HH Tee | \$12 | \$36 |
| 4 | JG 1/4" M - 3/8"H Stud | \$12 | \$48 |
| 12 | Per Meter - JG 3/8 Hose | \$12 | \$144 |
| 2 | 30mm Hose Clamp (Dryer) | \$10 | \$20 |

| Yes | Fluid Management - Refill & Drain (kit) | | |
|-----|---|-------|-------|
| 1 | Fluid Level Float Sensor | \$69 | \$69 |
| 1 | Refill Pump - 12V - EPDM - Max 50 PSI | \$334 | \$334 |
| 1 | Pump Activation Relay | \$54 | \$54 |
| 1 | Mounting Bracket | \$45 | \$45 |
| 1 | 90-130mm Hose Clamps (Pump) | \$12 | \$12 |
| 1 | Refill Indicator (Lamp 12VDC) and Momentary On Switch | \$12 | \$12 |
| 1 | JG 1/4" M - 3/8"HH Tee | \$12 | \$12 |
| 1 | JG 1/4" M - 3/8"H Elbows | \$12 | \$12 |
| 1 | JG 1/4" H (F-F-F) Tee | \$12 | \$12 |
| 1 | JG 1/4" H Tap (Drain) | \$22 | \$22 |

| Yes | Pressure Management (kit) | | |
|-----|---|------|------|
| 1 | Pressure Set Switch (set @ 10 PSI) | \$90 | \$90 |
| 1 | Pressure Trigger - Circuit Breaker/ Relay | \$70 | \$70 |
| 1 | Over Pressure Relief Valve (set @ 30 PSI) | \$90 | \$90 |
| 1 | Stainless Steel 1/4" M-F-F | \$19 | \$19 |
| 1 | Stainless Steel 1/4" M- 1/8" F Bush | \$12 | \$12 |

| Accessories and Options | | | |
|-------------------------|--|---------|---------|
| 1 | Automatic Cell Controller (Fluid, Current, Gas Injection) | \$1,500 | \$1,500 |
| 1 | PMW and Current Limiting (30 AMP Max 12-24VDC) | \$145 | \$145 |
| 0 | 500g of Sodium Hydroxide (Flakes) | \$0 | \$0 |
| 1 | 30VDC to 100AMP - Ignition Relay | \$70 | \$70 |
| 1 | MAP / MAF Sensor Tuner | \$145 | \$145 |
| 0 | EFIE (O2 Sensor Enhancer) - (1 per O2 Sensor required) | \$0 | \$0 |
| 0 | System Assembly | \$0 | \$0 |
| 1 | Specialty Alternator - (High Performance 2kW) | \$1,940 | \$1,940 |
| 1 | System Enclosure (Outer Steel Case) | \$590 | \$590 |
| 0 | External Water Reservoir - Subject to size, shape and material | POA | POA |
| 0 | Basic Installation* Estimate Only | \$0 | \$0 |

| | |
|-----------------------|-----------------|
| Sub Total | \$10,670 |
| Voucher Saving | 33.3% |
| Grand Total | \$7,114 |

Number of Systems required: **1**